



DO NOT SCALE

A1



- NOTES:
- DO NOT SCALE FROM THIS DRAWING.
  - ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
  - HEALTH AND SAFETY: THE CONTRACTOR SHALL BE AWARE OF ALL STATUTORY UNDERTAKERS PLANT THAT MAY BE LOCATED WITHIN THE SITE.
  - FOR SETTING OUT DETAILS, REFER TO DRAWING NO. 5214098-ATK-HGN-XX-DR-CH-000006 TO 000009.
  - FOR SITE CLEARANCE, REFER TO DRAWING NO. 5214098-ATK-HSC-XX-DR-CH-000001 TO 000003.
  - FOR KERB, FOOTWAYS & PAVED AREAS, REFER TO DRAWING NO. 5214098-ATK-HKF-XX-DR-CH-000001 TO 000003.
  - FOR TRAFFIC SIGN, REFER TO DRAWING NO. 5214098-ATK-HSN-XX-DR-CH-000001 TO 000004.
  - FOR ROAD MARKING, REFER TO DRAWING NO. 5214098-ATK-HMK-XX-DR-CH-000001 TO 000004.
  - FOR ROAD HUMP DETAILS REFER TO SCC STANDARD DETAIL DRAWING NO. SD1000-112.
  - FOR ROAD HUMP DETAILS REFER TO DRAWING NO. 5214098-ATK-HGN-XX-DR-CH-000005.
  - EXISTING CARRIAGEWAY TO BE PLANED OUT TO A DEPTH OF 40mm & INLAID WITH 45mm SURFACE COURSE & 30mm REGULATING MATERIAL FOR RAISED TABLE AND 40mm BINDER COURSE BELOW THE RAISED TABLE CONSTRUCTION.
  - EXISTING FOOTWAY TO BE PLANED OUT TO A DEPTH OF 140mm & INLAID WITH 45mm SURFACE COURSE & 30mm REGULATING MATERIAL FOR RAISED TABLE AND 40mm BINDER COURSE BELOW THE RAISED TABLE CONSTRUCTION.
  - FOR RAISED TABLE CONSTRUCTION REFER TO SCC STANDARD DETAIL DRAWING NO. SD1000-114.
  - EXISTING SUBGRADE WILL BE REGRADED AND RECOMPACTED TO MEET THE PROPOSED LEVEL.
  - FOR GULLY STANDARD DETAILS REFER TO SCC STANDARD 1000/360.
  - EXISTING HIGH FRICTION SURFACE TO BE RESURFACED WITH BUFF COLOURED TYPE 1 HIGH FRICTION SURFACING MATERIAL WITH 68+ PSV & 15 AAV.
  - DRAINAGE PIPE WORK TO BE 150MM DIA VITRIFIED CLAY PIPES TO BSEN 295 OR HDPE STRUCTURED WALL PIPE THAT ARE BBA HAPAS APPROVED.

- KEY:
- EXISTING HIGHWAY BOUNDARY
  - PROPOSED KERBLINE
  - PROPOSED ROAD MARKING
  - EXISTING ROAD MARKING TO BE REFRESHED
  - DRAINAGE PIPE TO BE TIE IN WITH EXISTING DRAINAGE (SEE NOTE 17)
  - EXISTING CARRIER PIPE
  - EXISTING FOOTWAY
  - PROPOSED TACTILE PAVING (BUFF COLOUR)
  - EXISTING CARRIAGEWAY
  - PROPOSED RAISED TABLE (SEE NOTE 13)
  - PROPOSED FOOTWAY
  - RAMP CONSTRUCTION FROM EXISTING FOOTWAY (SEE NOTE 12)
  - RAMP CONSTRUCTION FROM EXISTING CARRIAGEWAY (SEE NOTE 11)
  - EXISTING HIGH FRICTION SURFACE TO BE RESURFACED TO CLAUSE 924 (SEE NOTE 16)
  - PROPOSED DIRECTIONAL BOLLARD
  - PROPOSED CIRCULAR BOLLARD
  - PROPOSED / RELOCATED TRAFFIC SIGN
  - PSGYXX PROPOSED GULLY (SEE NOTE 15)

**SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION**

In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following significant residual risks (Reference shall also be made to the design hazard log).

Construction	R4-Provision of new electrical connection, R6-Working in the Vicinity of live utilities.
Maintenance / Cleaning	NONE
Use	NONE
Decommissioning / Demolition	NONE

Stat	Purpose of Issue	Date	Auth	Rev	Description	By	Date	Chkd	Auth
S3	FOR REVIEW / COMMENT	14/06/23	CG	P06	Comments Incorporated	SG	14/06/23	RT	CG
S3	FOR REVIEW / COMMENT	04/04/23	CG	P05	Design Updated	SG	04/04/23	RT	CG
S3	FOR REVIEW / COMMENT	30/03/23	CG	P04	Comments Updated	SG	30/03/23	RT	CG
S3	FOR REVIEW / COMMENT	16/02/23	CG	P03	For RSA	SG	16/02/23	RT	CG
S3	FOR REVIEW / COMMENT	16/01/23	CG	P02	Second Issue	SG	10/01/23	RT	CG
S3	FOR REVIEW / COMMENT	05/12/22	CG	P01	First Issue	SG	02/12/22	RT	CG

**ATKINS**<sup>TM</sup>

Atkins Limited  
 Consulting Engineers,  
 County Gate, County Way  
 Trowbridge, Wiltshire  
 BA14 7FJ  
 Tel: 01225 730360 www.atkinsglobal.com

Client

**SURREY COUNTY COUNCIL**  
 Surrey Highways & Transport for Surrey

Project

**TONGHAM HIGH STREET**  
 DETAILED DESIGN

Sheet Size	Original Scale	Designed/Drawn	Checked	Authorised
A1	1:250	SG	RT	CG
Status	Drawing Number	Date	Date	Date
S3	5214098-ATK-HGN-XX-DR-CH-000001	14/06/23	14/06/23	14/06/23
Rev				
	P06			

THIS MAP IS REPRODUCED FROM ORDNANCE SURVEY MATERIAL WITH THE PERMISSION OF ORDNANCE SURVEY ON BEHALF OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. UNAUTHORISED REPRODUCTION INFRINGES CROWN COPYRIGHT AND MAY LEAD TO PROSECUTION OR CIVIL PROCEEDINGS.  
 Swindon Borough Council 100024296 (2022)

DO NOT SCALE



- NOTES:**
- DO NOT SCALE FROM THIS DRAWING.
  - ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
  - HEALTH AND SAFETY: THE CONTRACTOR SHALL BE AWARE OF ALL STATUTORY UNDERTAKERS PLANT THAT MAY BE LOCATED WITHIN THE SITE.
  - FOR SETTING OUT DETAILS, REFER TO DRAWING NO. 5214098-ATK-HGN-XX-DR-CH-000006 TO 000009.
  - FOR SITE CLEARANCE, REFER TO DRAWING NO. 5214098-ATK-HSC-XX-DR-CH-000001 TO 000003.
  - FOR KERB, FOOTWAYS & PAVED AREAS, REFER TO DRAWING NO. 5214098-ATK-HKF-XX-DR-CH-000001 TO 000003.
  - FOR TRAFFIC SIGN, REFER TO DRAWING NO. 5214098-ATK-HSN-XX-DR-CH-000001 TO 000004.
  - FOR ROAD MARKING, REFER TO DRAWING NO. 5214098-ATK-HMK-XX-DR-CH-000001 TO 000004.
  - FOR ROAD HUMPS DETAILS REFER TO SCC STANDARD DETAIL DRAWING NO. SD1000-112.
  - FOR ROAD HUMPS DETAILS REFER TO DRAWING NO. 5214098-ATK-HGN-XX-DR-CH-000005.
  - EXISTING CARRIAGEWAY TO BE PLANED OUT TO A DEPTH OF 40mm & INLAID WITH 45mm SURFACE COURSE & 30mm REGULATING MATERIAL FOR RAISED TABLE AND 40mm BINDER COURSE BELOW THE RAISED TABLE CONSTRUCTION.
  - EXISTING FOOTWAY TO BE PLANED OUT TO A DEPTH OF 140mm & INLAID WITH 45mm SURFACE COURSE & 30mm REGULATING MATERIAL FOR RAISED TABLE AND 40mm BINDER COURSE BELOW THE RAISED TABLE CONSTRUCTION.
  - FOR RAISED TABLE CONSTRUCTION REFER TO SCC STANDARD DETAIL DRAWING NO. SD1000-114.
  - EXISTING SUBGRADE WILL BE REGRADED AND RECOMPACTED TO MEET THE PROPOSED LEVEL.
  - FOR GULLY STANDARD DETAILS REFER TO SCC STANDARD 1000/360.
  - EXISTING HIGH FRICTION SURFACE TO BE RESURFACED WITH BUFF COLOURED TYPE 1 HIGH FRICTION SURFACING MATERIAL WITH 68+ PSV & 16 AAV.
  - DRAINAGE PIPE WORK TO BE 150MM DIA VITRIFIED CLAY PIPES TO BSEN 295 OR HDPE STRUCTURED WALL PIPE THAT ARE BBA HAPAS APPROVED.

- KEY:**
- EXISTING HIGHWAY BOUNDARY
  - PROPOSED KERBLINE
  - PROPOSED ROAD MARKING
  - EXISTING ROAD MARKING TO BE REFRESHED
  - DRAINAGE PIPE TO BE TIE IN WITH EXISTING DRAINAGE (SEE NOTE 17)
  - EXISTING CARRIER PIPE
  - EXISTING FOOTWAY
  - PROPOSED TACTILE PAVING (BUFF COLOUR)
  - EXISTING CARRIAGEWAY
  - PROPOSED RAISED TABLE (SEE NOTE 13)
  - PROPOSED FOOTWAY
  - RAMP CONSTRUCTION FROM EXISTING FOOTWAY (SEE NOTE 12)
  - RAMP CONSTRUCTION FROM EXISTING CARRIAGEWAY (SEE NOTE 11)
  - EXISTING HIGH FRICTION SURFACE TO BE RESURFACED TO CLAUSE 924 (SEE NOTE 16)
  - PROPOSED DIRECTIONAL BOLLARD
  - PROPOSED CIRCULAR BOLLARD
  - PROPOSED / RELOCATED TRAFFIC SIGN
  - PROPOSED GULLY (SEE NOTE 15)

**SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION**

In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following significant residual risks (Reference shall also be made to the design hazard log).

Construction	R4-Provision of new electrical connection, R6-Working in the Vicinity of live utilities.
Maintenance / Cleaning	NONE
Use	NONE
Decommissioning / Demolition	NONE

Stat	Purpose of Issue	Date	Auth	Rev	Description	By	Date	Chkd	Auth
S3	FOR REVIEW / COMMENT	14/06/23	CG	P06	Comments Incorporated	SG	14/06/23	RT	CG
S3	FOR REVIEW / COMMENT	04/04/23	CG	P05	Design Updtd	SG	04/04/23	RT	CG
S3	FOR REVIEW / COMMENT	30/03/23	CG	P04	Comments Updated	SG	30/03/23	RT	CG
S3	FOR REVIEW / COMMENT	16/02/23	CG	P03	For RSA	SG	16/02/23	RT	CG
S3	FOR REVIEW / COMMENT	16/01/23	CG	P02	Second Issue	SG	10/01/23	RT	CG
S3	FOR REVIEW / COMMENT	05/12/22	CG	P01	First Issue	SG	02/12/22	RT	CG

Stat	Purpose of Issue	Date	Auth	Rev	Description	By	Date	Chkd	Auth
S3	FOR REVIEW / COMMENT	14/06/23	CG	P06	Comments Incorporated	SG	14/06/23	RT	CG
S3	FOR REVIEW / COMMENT	04/04/23	CG	P05	Design Updtd	SG	04/04/23	RT	CG
S3	FOR REVIEW / COMMENT	30/03/23	CG	P04	Comments Updated	SG	30/03/23	RT	CG
S3	FOR REVIEW / COMMENT	16/02/23	CG	P03	For RSA	SG	16/02/23	RT	CG
S3	FOR REVIEW / COMMENT	16/01/23	CG	P02	Second Issue	SG	10/01/23	RT	CG
S3	FOR REVIEW / COMMENT	05/12/22	CG	P01	First Issue	SG	02/12/22	RT	CG

**ATKINS**<sup>TM</sup>  
**Atkins Limited**  
 Consulting Engineers,  
 County Gate, County Way  
 Trowbridge, Wiltshire  
 BA14 7FJ  
 Tel: 01225 730360 www.atkinsglobal.com

Client  
  
**SURREY COUNTY COUNCIL**  
 Surrey Highways & Transport for Surrey

Project  
**TONGHAM HIGH STREET**  
**DETAILED DESIGN**

Title <b>GENERAL ARRANGEMENT HIGH STREET</b>	
Sheet Size <b>A1</b>	Original Scale <b>1:250</b>
Status <b>S3</b>	Design/Drawn SG Date 14/06/23
Rev <b>P06</b>	Checked RT Date 14/06/23
	Authorised CG Date 14/06/23
Drawing Number <b>5214098-ATK-HGN-XX-DR-CH-000002</b>	

THIS MAP IS REPRODUCED FROM ORDNANCE SURVEY MATERIAL WITH THE PERMISSION OF ORDNANCE SURVEY ON BEHALF OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. UNAUTHORISED REPRODUCTION INFRINGES CROWN COPYRIGHT AND MAY LEAD TO PROSECUTION OR CIVIL PROCEEDINGS.  
 Swindon Borough Council 100044296 (2022)

DO NOT SCALE



- NOTES:**
- DO NOT SCALE FROM THIS DRAWING.
  - ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
  - HEALTH AND SAFETY: THE CONTRACTOR SHALL BE AWARE OF ALL STATUTORY UNDERTAKERS PLANT THAT MAY BE LOCATED WITHIN THE SITE.
  - FOR SETTING OUT DETAILS, REFER TO DRAWING NO. 5214098-ATK-HGN-XX-DR-CH-000006 TO 000009.
  - FOR SITE CLEARANCE, REFER TO DRAWING NO. 5214098-ATK-HSC-XX-DR-CH-000001 TO 000003.
  - FOR KERB, FOOTWAYS & PAVED AREAS, REFER TO DRAWING NO. 5214098-ATK-HKF-XX-DR-CH-000001 TO 000003.
  - FOR TRAFFIC SIGN, REFER TO DRAWING NO. 5214098-ATK-HSN-XX-DR-CH-000001 TO 000004.
  - FOR ROAD MARKING, REFER TO DRAWING NO. 5214098-ATK-HMK-XX-DR-CH-000001 TO 000004.
  - FOR ROAD HUMP DETAILS REFER TO SCC STANDARD DETAIL DRAWING NO. SD1000-112.
  - FOR ROAD HUMP DETAILS REFER TO DRAWING NO. 5214098-ATK-HGN-XX-DR-CH-000005.
  - EXISTING CARRIAGEWAY TO BE PLANNED OUT TO A DEPTH OF 40mm & INLAID WITH 45mm SURFACE COURSE & 30mm REGULATING MATERIAL FOR RAISED TABLE AND 40mm BINDER COURSE BELOW THE RAISED TABLE CONSTRUCTION.
  - EXISTING FOOTWAY TO BE PLANNED OUT TO A DEPTH OF 140mm & INLAID WITH 45mm SURFACE COURSE & 30mm REGULATING MATERIAL FOR RAISED TABLE AND 40mm BINDER COURSE BELOW THE RAISED TABLE CONSTRUCTION.
  - FOR RAISED TABLE CONSTRUCTION REFER TO SCC STANDARD DETAIL DRAWING NO. SD1000-114.
  - EXISTING SUBGRADE WILL BE REGRADED AND RECOMPACTED TO MEET THE PROPOSED LEVEL.
  - FOR GULLY STANDARD DETAILS REFER TO SCC STANDARD 1000/360.
  - EXISTING HIGH FRICTION SURFACE TO BE RESURFACED WITH BUFF COLOURED TYPE 1 HIGH FRICTION SURFACING MATERIAL WITH 68+ PSV & 15 AAV.
  - DRAINAGE PIPE WORK TO BE 150MM DIA VITRIFIED CLAY PIPES TO BSEN 295 OR HDPE STRUCTURED WALL PIPE THAT ARE BBA HAPAS APPROVED.

- KEY:**
- EXISTING HIGHWAY BOUNDARY
  - PROPOSED KERBLINE
  - PROPOSED ROAD MARKING
  - EXISTING ROAD MARKING TO BE REFRESHED
  - DRAINAGE PIPE TO BE TIE IN WITH EXISTING DRAINAGE (SEE NOTE 17)
  - EXISTING CARRIER PIPE
  - EXISTING FOOTWAY
  - PROPOSED TACTILE PAVING (BUFF COLOUR)
  - EXISTING CARRIAGEWAY
  - PROPOSED RAISED TABLE (SEE NOTE 13)
  - PROPOSED FOOTWAY
  - RAMP CONSTRUCTION FROM EXISTING FOOTWAY (SEE NOTE 12)
  - RAMP CONSTRUCTION FROM EXISTING CARRIAGEWAY (SEE NOTE 11)
  - EXISTING HIGH FRICTION SURFACE TO BE RESURFACED TO CLAUSE 924 (SEE NOTE 16)
  - PROPOSED DIRECTIONAL BOLLARD
  - PROPOSED CIRCULAR BOLLARD
  - PROPOSED / RELOCATED TRAFFIC SIGN
  - PROPOSED GULLY (SEE NOTE 15)

**SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION**

In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following significant residual risks (Reference shall also be made to the design hazard log).

Construction	R4-Provision of new electrical connection, R6-Working in the Vicinity of live utilities.
Maintenance / Cleaning	NONE
Use	NONE
Decommissioning / Demolition	NONE

Stat	Purpose of Issue	Date	Auth	Rev	Description	By	Date	Chkd	Auth
S0	FOR REVIEW / COMMENT	14/06/23	CG	P06	Comments Incorporated	SG	14/06/23	RT	CG
S3	FOR REVIEW / COMMENT	04/04/23	CG	P05	Design Updated	SG	04/04/23	RT	CG
S3	FOR REVIEW / COMMENT	30/03/23	CG	P04	Comments Updated	SG	30/03/23	RT	CG
S3	FOR REVIEW / COMMENT	16/02/23	CG	P03	For RSA	SG	16/02/23	RT	CG
S3	FOR REVIEW / COMMENT	16/01/23	CG	P02	Second Issue	SG	10/01/23	RT	CG
S3	FOR REVIEW / COMMENT	05/12/22	CG	P01	First Issue	SG	02/12/22	RT	CG

**ATKINS**<sup>TM</sup>  
 Atkins Limited  
 Consulting Engineers,  
 County Gate, County Way  
 Trowbridge, Wiltshire  
 BA14 7FJ  
 Tel: 01225 730360 www.atkinsglobal.com

Client  
  
 Surrey Highways & Transport for Surrey  
 Project  
 TONGHAM HIGH STREET  
 DETAILED DESIGN

Sheet Size	Original Scale	Designed/Drawn	Checked	Authorised
A1	1:250	SG	RT	CG
Status	Drawing Number	Date	Date	Date
S3	5214098-ATK-HGN-XX-DR-CH-000004	14/06/23	14/06/23	14/06/23
Rev				
	P06			

THIS MAP IS REPRODUCED FROM ORDNANCE SURVEY MATERIAL WITH THE PERMISSION OF ORDNANCE SURVEY ON BEHALF OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. UNAUTHORISED REPRODUCTION INFRINGES CROWN COPYRIGHT AND MAY LEAD TO PROSECUTION OR CIVIL PROCEEDINGS.  
 Swindon Borough Council 100024296 (2022)